ShawContract®

Fragment Comfortworx® Tile

Style Number	**C019W**
Collection	**Floor Architecture II**
Product Type	**Carpet Tile**

Construction	Standard	Data + Performance
Type of Manufacture	**ISO 2424**	**tufted 1/12" | 47.2 per 10cm**
Aspect	**ISO 2424**	**Multi-Level Pattern Loop**
Dye Method	**EN 994**	**100% Solution Dyed**
Dimensions	**EN 994**	**50 cm x 50 cm | 16 tiles (4 m^2) per box**
Primary Backing	**ISO 2424**	**Pet Non-Woven**
Secondary Backing	**ISO 2424**	**Comfortworx® Tile | Matrix Pad Layer Contains 90% Recycled Content**
Pile Fibre Composition	**ISO 2424**	**Eco Solution Q® Polyamide 6**
Total Thickness	**ISO 1765**	**11.3 mm**
Effective Pile Thickness	**ISO 1766**	**2.9 mm**
Total Mass	**ISO 8543**	**4262 g/m^2**
Nominal Total Pile Mass	**ISO 2424**	**630 g/m^2**
Effective Pile Mass	**ISO 8543**	**288 g/m^2**
Pile Density	**ISO 8543**	**0.097 g/cm^3**

Performance

Electrostatic Propensity	**ISO 6356**	**≤ 2.0 kV (stroll test)**
Use Classification	**EN 1307**	**33 commercial heavy**
Luxury Class	**EN 1307**	**LC1**
Dimensional Stability	**EN 986**	**≤ 0.2%**
Impact Sound Insulation	**ISO 10140**	**37dB**
Sound Absorption Classification	**ISO 354/11654**	**0.30 αw | Class D**
Thermal Resistance m^2 K/W	**ISO 8302**	**0.162 m^2 K/W TOG 1.62**
Dry Slip Resistance	**ISO 13893**	**pass**
Colour Fastness To Light	**ISO 105-B02**	**>6**
Flammability	**EN 13501-1**	**Bfl-S1 (adhered testing)**
Castor Chair	**EN 985**	**≥2.4 Continuous Use**

15 Year Commercial Limited Warranty subject to installation in full accordance with manufacturer's instructions and a regular effective cleaning and maintenance programme.

Recommended Installation Method



Quarter Turn **Random** **Monolithic** **Brick** **Ashlar**

Coordinating Products

Carpet Tile: **Stone Comfortworx® Tile, Fragment Tile, Stone Tile**

37dB 0.30 αw

CE
07
EN14041
DOP 0338/CPR/0820/1020/BT
Manufactured by: SHAW EUROPE LTD. BLACKADDIE ROAD INDUSTRIAL ESTATE, SANQUHAR, DG4 6DB, UK

Comfortworx® Tile | Matrix Pad Layer Contains 90% Recycled Content Carpet Tile for use as an indoor floor covering as specified by the manufacturer
Notified Body Number 0338

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | Latin America (Miami) +1 305 827 5912 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Santiago +562 2431 5000 x 550 | São Paulo +55 11 3071 1702 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +1 800 556 302

© 2022 Shaw Industries Group, Inc., a Berkshire Hathaway Company
February 21, 2022

For reference purposes only if printed or downloaded.

Product Transparency

Shaw Contract is dedicated to providing clients with a building chemistry that's safe and dependable. Working together, we will help you meet your goals as they pertain to material health. ComfortWorx® products are Cradle to Cradle Certified® Bronze and assessed for impacts on human health and the environment. This product can be recycled. When it's time to replace, we can collect through our re-[TURN] scheme in EMEA.

Attributes + Certifications

Declaration of Performance	**0338/CPR/0820/1020/BT**
Cradle to Cradle Certified®	**Bronze Level (Version 3.1)**
Environmental Guarantee*	**Take Back Policy Offered For All Taskworx Products**
Country of Origin**	**United Kingdom**
BREEAM Contribution Credit	**Certificate of Approval** **Schools/Offices/Health/Industrial Shed** **Retail**

LEED Contribution Credit

MR Credit: Building Product Disclosure and Optimization Material Ingredients - Option 1: Material Ingredient Reporting	**C2C Bronze Level (Version 3.1)**
EQ Credit: Low Emitting Materials Option 1: Product Category Calculations	**Certified**

WELL V2 Contribution Credit

X08 Hazardous Material Reduction Part 1: Limit Hazardous Materials Optimization	**C2C Bronze Level (Version 3.1)**
X10 Volatile Compound Reduction Part 1 (A): Manage Volatile Organic Compounds (VOCs) Optimization	**C2C Bronze Level (Version 3.1)**
X10 Volatile Compound Reduction Part 2: Manage Semi-Volatile Organic Compounds (SVOCs) Optimization	**C2C Bronze Level (Version 3.1)**
X11 Long Term Emissions Control Part 2: Flooring Optimization	**M1> Emissions Class For Building Material**
X13 Enhanced Material Precaution Part 1: Select Optimized Materials Optimization	**C2C Bronze Level (Version 3.1)**
X14 Material Transparency Part 1: Promote Ingredient Disclosure Optimization	**C2C Bronze Level (Version 3.1)**

Memberships

WGBC Framework	**WGBC Framework**
UKGBC	**UKGBC**
Emirates Green Building Council	**Emirates Green Building Council**
Chemsec	**Chemsec**

Additional Information

**Manufactured in ISO 9001 certified facility. Meets or exceeds all local and national regulations in country of manufacture.

Installation Guidelines

15 Year Commercial Limited warranty

Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit shawcontract.com/testing for more information.

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | Latin America (Miami) +1 305 827 5912 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Santiago +562 2431 5000 x 550 | São Paulo +55 11 3071 1702 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +1 800 556 302

© 2022 Shaw Industries Group, Inc., a Berkshire Hathaway Company

For reference purposes only if printed or downloaded.

Made in the UK

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | Latin America (Miami) +1 305 827 5912 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Santiago +562 2431 5000 x 550 | São Paulo +55 11 3071 1702 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +1 800 556 302

© 2022 Shaw Industries Group, Inc., a Berkshire Hathaway Company

For reference purposes only if printed or downloaded.

Light Reflectance Value



LRV 25.9
Marble 53100

LRV 3.1
Azurite 53485

LRV 3.3
Granite 53500



LRV 10.2
Mica 53518



LRV 11.5
Mortar 53530



LRV 13.2
Limestone 53535

LRV 5.8
Anthracite 53555



LRV 10.3
Chromite 53580



LRV 7.0
Mix 53597

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | **Atlanta** +1 404 853 7429 | **Bengaluru** +91 80 6773 0202 | **Beijing** +86 10 6568 588 | **Chicago** +1 312 467 1331 | **Dubai** +971 4 584 6956 | **Hong Kong** +852 2623 0371 | **Latin America (Miami)** +1 305 827 5912 | **London** +44 207 961 4120 | **Los Angeles** +1 800 233 1614 | **Melbourne** +61 3 9939 8543 | **Mexico City** +55 5010 7600 | **Mumbai** +91 22 6284 5050 | **Nantong** +86 400 800 7429 | **New York** +1 212 953 7429 | **Paris** +33 (0) 1 81 22 44 39 | **San Francisco** +1 415 955 1920 | **Santiago** +562 2431 5000 x 550 | **São Paulo** +55 11 3071 1702 | **Shanghai** +86 21 3338 4000 | **Singapore** +65 6733 1811 | **Sydney** +1 800 556 302

© 2022 Shaw Industries Group, Inc., a Berkshire Hathaway Company

February 21, 2022

For reference purposes only if printed or downloaded.