

## creative connections

Born from the inspiration of understated luxury, this collection seamlessly integrates soft and tactile textures.

In the realm of design, where sustainability meets creativity, Creative Connections captivates four distinct styles. A testament to our commitment to sustainable innovation. The first of four styles Interlaced is available in 12 neutrals and 12 colours. The second of four styles Understated is available in 12 colourways. The third of four styles, Interwoven, is available in 16 colourways.





This is a 4 style collection with Interlaced being the first and Understated being a second style and Interwoven being the third style within the collection.



UNDERSTATED • IN CLASSIC-DUSTY APRICOT





INTERWOVEN IN MELLOW

INTERWOVEN • IN CHARCOAL

# Swatches at a glance




Interlaced  $(50 \times 50 \text{ cm})$ 46763 Walnut 46402 Storm Cloud 46500 Lead 46376 Khaki 46447 Slate Blue 46580 Smoke 46375 Sage 46411 Sky 46105 Silk 46668 Medallion 46327 Mineral 46535 Pearl

### Colourways

<sup>\*</sup> Note: Visuals are representative of the colour. For precise colour and texture, please refer to sample tile.





"Ordinary is not in our vocabulary."








## Interlaced

Inspired by crafting, layering and quiet luxury, **Interlaced** has a strong directional quality. The design offers harmony and balance in the smoky layers evoking a mineral veil.














INTERLACED IN PEARL

# **Transitional layout**

For simple or intricate transitions, **Interlaced** style gives you option to create seamlessly unified designs.

# Shown here in Stone, Seal, Mushroom and Pearl combinations




Stone Seal


Mushroom

Pea

Half tile (25cm x 50cm)



#### **Crimson Pastel Palette**




A Symphony of Ethereal Elegance. Sophisticated colour harmonies interplay with light and shadow, capturing natural saturation. Luxurious and statement-making designs.

10 Function Silica11 Interlaced Pearl

12 Graph Gravel

9 Interlaced Powder Pink



### **Soft Pastel Palette**




Gentle essence of tangerine orange with delicate undertones. Unparalleled serenity and style. Remarkable versatility in both contemporary and classical settings.

10 Observe Optimistic11 Positive Warmth

6 Interlaced Bisque7 Roam Cotswold8 Fragment Mortar

9 Nordic Honey



## **Subtle Earth-toned Palette**



Timeless Sophistication in Earthy Tones and layering. Neutral sophistication and versatile expression, offering a masterful blend of earthy tones that transcend seasonal trends.

11 Dyelab Sumac

10 Function Pebble


5 Support Interaction6 Positive Bubbly7 Poised Satisfied8 Fragment Oatmeal

9 Interlaced Medallion




INTERLACED • IN ROSE / INSTALLED QUARTER TURN

## **Interlaced Preferred Installation methods**



## Swatches at a glance



#### Colourways

<sup>\*</sup> Note: Visuals are representative of the colour. For precise colour and texture, please refer to sample tile. Yarn colours can be mixed and matched with different backing base colours, for example Refined-Sky. A minimum order quantity of 300m² applies.







"Even in stillness, there is movement."






## **Understated**

The ultimate quiet luxury style. **Understated** offers a sophisticated appearance with an element of fun and surprise with flecks of colour that are subtle in its depiction.

Superior texture and elegance are elevated by the four different bases and combinations of accent colours which pair with Interlaced.
















# Inspired by Devoré: Whispered Layers of Colour and Texture

Understated style is all about the flecks of colour and the texture created that are revealed in mysterious ways. Accent colours in varying depths of shade enhance the elegance of these colour combinations.

A technique of delicate contrast, where fabric is transformed to reveal semi-transparent patterns against a richly woven backdrop. A fusion of artistry and quiet luxury.









UNDERSTATED • IN PURE-BISQUE

## **Warm Tangerine Palette**






UNDERSTATED IN REFINED-BUTTERSCOTCH




Warmth and refinement of versatile yellow effortlessly harmonises with soft hues while standing strong alongside bold tones. A standalone statement colour or an accent, it enhances and inspires grey and blue tones, adding depth and elegance.

- 4 Function Pebble
- 5 Dye Lab Woad
- Interlaced Slate Blue
- Dye Lab Osage Orange
- 8 Interlaced Silk
- 9 Flow Molten
- 10 Poised Optimistic
- 11 Textile Muslin
- 12 Nordic Driftwood
- 13 Fragment Brushed Gold
- 14 Fragment Midnight Brushed Gold
- **15 Pixel Square** Arctic
- 16 Interlaced Stone




UNDERSTATED IN CLASSIC-SLATE BLUE

### **Muted Pastel Palette**



Effortless elegance and quiet luxury of muted blue and refined greys. Softened by warm grey undertones, it offers a balance to transcending trends with its versatile, earthy depth inviting alternative to bolder blues.


- 1 Understated Classic-Slate Blue
- 2 Interlaced Slate Blue
- 3 Flow Streamline
- 4 Interlaced Pearl
- 5 Flow Smooth
- 6 Support Interaction
- 7 Interlaced Seal
- 8 Interlaced Medallion
- 9 Dye Lab Woad
- 10 Beam Jute
- 11 Landing Desert
- 12 Interlaced Silk
- 13 Nordic Golden
- 14 Interlaced Stone
- 15 Dye Lab Henna
- 16 Endless Wild



UNDERSTATED 

■ IN MELLOW-STORM CLOUD

### **Mellow Storm Palette**



Moody fusion of blue and grey. A perfect balance of warmth and depth, its earthy elegance transcends seasonal trends, creating timeless sophistication.

13 Nordic Radiant

14 Function Pebble

15 Positive Bubbly

# Swatches at a glance

(50 x 50 cm) Interwoven 58761 Fossil 58765 Walnut 58597 Charcoal 58676 58516 Classic Bisque 58485 Mellow 58111 58870 58668 Medallion Pure Rose

Interwoven (50 x 50 cm) 58515 Hickory 58447 Slate Blue 58448 Mineral Grey 58376 Khaki 58327 Mineral 58402 Storm Cloud

## Colourways

<sup>\*</sup> Note: Visuals are representative of the colour. For precise colour and texture, please refer to sample tile.

# "Where woven threads meet, stories begin."









INTERWOVEN IN MELLOW

INTERWOVEN • IN CHARCOAL





## Interwoven

A return to our roots through texture. **Interwoven** draws from the comforting familiarity, cosiness and traditional craftsmanship. Knit, weave, felt – reinterpreted through a modern, linear flow. Pattern and texture align to create a soft optical illusion, elevated by dimensional softness and hyper-tactile visual.

Layered weave shapes a sense of depth and comfort, reconnection texture with meaning. Warmth and versatility, designed to pair with Interlaced and Understated.




















# A Modern **Tapestry**

Interwoven style draws on the traditions of handcraft, from knitting to embroidery - reimagining the art of making into a modern expression of softness and structure.

Linear patterns flow with intention, mimicking the rhythm of woven threads and the quiet complexity of textile techniques.










## **Soft Ember Palette**




Updated Warm Tangerine palette introduces a calmer, earthier expression while maintaining its soft, warm and dusty foundation. A blend of understated elegance - a harmonious balance of warmth. Designed to evoke a sense of natural sophistication, it offers a versatile canvas for any interior space.

- 2 Dye-Lab Sumac
- 3 Pivot Reform
- 4 Observe Regenerate
- 5 Fragment Mica
- 6 Landing Desert
- **Understated** Pure-Bisque
- 8 Interlaced Shell
- 9 Dye Lab Sandalwood
- 10 Interlaced Oatmeal
- 11 Pivot Change
- 12 Function Silica
- 13 Interwoven Pure
- **14 Interlaced** Linen
- 15 Interlaced Bisque



INTERWOVEN • IN MINERAL GREY

## **Mineral Calm Palette**




Grounded serenity in deep, cool colourways. Anchored by mineral grey hues, this palette introduces a quiet sophistication through its blend of blue, green, and grey. A subtle shift away from warmth toward a more mineral-inspired depth creating contrast. An atmospheric palette designed to bring a sense of stillness and introspection.

- 3 Dye Lab Iron
- 4 Observe Divert
- 5 Interwoven Mineral
- 6 Honest Rainstorm
- 7 Endless Calm
- 8 Understated Pure Mineral
- 9 Complement Ash
- 10 Braid Wool
- 11 Dye Lab Cornflower
- **12 Interwoven** Mineral Grey
- 13 Poised Confident
- 14 Pixel Square Urban



## **Coastal Balance Palette**




The natural harmony of warm neutrals and slate-toned blues. Inspired by the quiet beauty of the seaside and tranquil landscapes, this palette blends the grounding calm of stone and slate with gentle warmth. A soft yet characterful alternative to cooler palettes, offering a peaceful connection to nature's rhythm.

- 4 Dye Lab Woad
- 5 Interlaced Medallion
- 6 Flow Streamline
- 7 Pivot Process
- 8 Observe Divert 9 Interlaced Silk
- 10 Interlaced Pearl
- 11 Interwoven Classic
- **12 Interlaced** Seal
- 13 Pivot New Growth
- 14 Understated Classic-Slate Blue



INTERWOVEN • IN STORM CLOUD

### Steel Blue Palette




A serene fusion of deep mineral blues. Drawing from the mysterious depths of midnight hues and the fresh vitality of mineral greens, it offers a calming yet invigorating spectrum. Soft gradients blend cool blues into soothing greens, evoking a sense of peaceful balance and tranquil essence.

- 1 Understated Mellow-Storm Cloud
- **2 Eon** Strata
- 3 Graph Gravel
- 4 Fragment Colours Midnight Mineral
- 5 Pixel Square Nickel
- 6 Upbeat Confident
- 7 Fragment Colours Steel Blue
- 8 Interlaced Storm Cloud
- 9 Nordic Fir
- 10 Nordic Radiant
- 11 Amalgam Uncover
- 12 Interwoven Storm Cloud13 Interlaced Slate Blue
- 14 Dye Lab Black Walnut



INTERWOVEN IN MELLOW

### **Mellow Storm Palette**



Evolution of blue-grey harmony introduces softer, pebble-toned hues and subtle pattern play, enriching the palette with a sense of elegant movement and modernity. While maintaining its core of earthy blues and greys, it embraces a more refined, on-trend aesthetic, offering a timeless yet contemporary sophistication.

- 6 Eon Metamorphic
- 7 Function Pebble
- 8 Interlaced Slate Blue
- 9 Pivot Renew
- 10 Interlaced Oatmeal
- 11 Interlaced Oyster
- 12 Interwoven Mellow
- 13 Observe Outlook
- 14 Understated Mellow-Storm Cloud
- 15 Pivot Change



INTERWOVEN • IN MEDALLION




# Works with WELL™ – Leading the Way in Healthy Flooring

Everyone deserves to live their best, healthiest life. WELL marks our commitment to people-first places.


Our EcoWorx® and EcoWorx® S carpet tiles were the first flooring products in the world to earn the Works with WELL™ mark – demonstrating our commitment to creating spaces that support human health and well-being.

The Works with WELL™ mark, developed by the International WELL Building Institute (IWBI), identifies products that align with WELL strategies to advance human health and wellness in the built environment. This recognition ensures that our flooring solutions contribute to better indoor air quality, material health and overall well-being.

#### Learn more at www.wellcertified.com







UNDERSTATED • IN REFINED-POWDER PINK

## LRV & L\*: Light Reflectance Values

LRV is a measurement that indicates how much light a surface reflects and how much it absorbs.

Understanding the Light Reflectance Values of surfaces enables interior lighting levels to be optimised and colours to be contrasted.

Designers can use the L\* value for determining lighting levels or the LRV (Y) value to compare the carpet tile colours to edgings and other surface finishes. Other style LRV's can be found on the Shaw Contract website.

	Colour name	Colour No.	LRV	L*
Intelaced Colours available	buttermilk	46100	30.7	62.25
	oyster	46101	27.3	59.27
	silk	46105	29.9	61.53
	oatmeal	46111	34.3	65.24
	linen	46112	35.2	65.89
	mineral	46327	22.2	54.28
	sage	46375	29.4	61.16
	khaki	46376	14.4	44.85
	storm cloud	46402	21.3	53.32
	sky	46411	25.0	57.11
	slate blue	46447	29.1	60.90
	lead	46500	8.7	35.37
	mushroom	46514	26.7	58.71
	seal	46516	26.8	58.76
	stone	46518	29.2	60.91
	pearl	46535	14.9	45.48
	smoke	46580	16.9	48.16
	shell	46601	25.3	57.36
	medallion	46668	35.2	65.88
	dusty apricot	46675	25.2	57.29
	bisque	46676	19.7	51.46
	walnut	46763	12.4	41.88
	powder pink	46800	30.4	61.96
	rose	46870	22.3	54.32

	Colour name	Colour No.	LRV	L*
Understated	refined-butterscotch	47210	30.7	62.27
Colours available	pure-mineral	47327	42.0	70.90
	classic-sage	47375	21.9	53.96
	pure-sky	47411	40.5	69.81
	classic-slate blue	47447	21.5	53.54
	mellow-storm cloud	47485	24.7	56.75
	mellow-medallion	47668	22.0	54.01
	classic-dusty apricot	47675	21.7	53.73
	pure-bisque	47676	39.7	69.25
	refined-walnut	47760	30.9	62.39
	refined-powder pink	47800	31.9	62.28
	mellow-rose	47870	20.1	51.93
Interwoven	pure	58111	29.2	60.97
Colours available	mineral	58327	16.0	46.97
	sage	58375	19.1	50.84
	khaki	58376	8.4	34.80
	storm cloud	58402	21.6	53.58
	slate blue	58447	9.9	37.67
	mineral grey	58448	8.4	34.79
	mellow	58485	13.1	42.97
	hickory	58515	10.1	38.11
	classic	58516	15.2	45.94
	charcoal	58597	10.1	37.94
	medallion	58668	19.1	50.82
	bisque	58676	17.3	48.61
	fossil	58761	11.1	39.80
	walnut	58765	15.8	46.66
	rose	58870	17.9	49.34
<u></u>				

# **Backing Options**

## Interlaced, Understated and Interwoven

## EcoWorx S®

- high performance polyolefin plastomer

100%

**close loop** recyclable backing solution

EcoSolution Q100™

recycled content nylon fibre, optimised for low carbon and carbon neutral

Embodied Carbon (EPD Calculation A1-A3)

4.91 kg CO2 e/m²

EcoWorx S® carpet tile weighs

50%

less than bitumen-backed carpet tile

#### Interlaced

## TaskWorx®

High performance polymer
 modified bitumen backing

100%

Utilising waste raw material & **100% recycled** content filler

EcoSolution Q100™

recycled content nylon fibre, optimised for low carbon and carbon neutral

Embodied Carbon (EPD Calculation A1-A3)

 $3.58 \text{ kg}_{\text{CO}_2\text{ e/m}^2}$ 

**TaskWorx®** carpet tile is Air Comfort Gold certified for low emitting products

### Interlaced, Understated and Interwoven

## ComfortWorx®

High performance acoustic and underfoot comfort carpet tile backing

90%

**Matrix pad** made from 90% recycled PET bottles. 67 bottles are used in every m<sup>2</sup>

EcoSolution Q100™

recycled content nylon fibre, optimised for low carbon and carbon neutral

Embodied Carbon (EPD Calculation A1-A3)

 $5.10~kg_{\rm CO_2\,e/m^2}$ 

ComfortWorx® carpet tile delivers

65%

Improvement in sound absorption performance compared to other hard backed carnet tiles or hard surfaces.





# **Specifications**

Access fully-detailed product specification information in seconds by scanning the QR code of individual style.

	TaskWorx®	EcoWorx S®	ComfortWorx®
Style number:	5T645	5T646	C043W
Style name:	Interlaced	Interlaced	Interlaced
Collection:	Creative Connections	Creative Connections	Creative Connections
Product type:	Carpet tile	Carpet tile	Carpet tile

#### Construction

#### Data + Performance

Type of manufacture	Tufted 1/10"   39.4 per 10cm	Tufted 1/10"   39.4 per 10cm	Tufted 1/10"   39.4 per 10cm
Aspect	Multi-level pattern loop	Multi-level pattern loop	Multi-level pattern loop
Dye method	100% solution dyed	100% solution dyed	100% solution dyed
Dimensions	50 x 50 cm   20 tiles (5 m²) per box	50 x 50 cm   20 tiles (5 m²) per box	50 x 50 cm   16 tiles (4 m²) per box
Primary backing	PET non-woven	PET non-woven	PET non-woven
Secondary backing	TaskWorx® Tile   Contains 100% recycled calcium carbonate filler	EcoWorx S® Tile   Polyolefin Plastomer	ComfortWorx® Tile   Matrix Pad layer Contains 90% recycled content
Pile fibre composition	EcoSolution Q100™   Polyamide 6 Contains 100% Recycled Content	EcoSolution Q100™   Polyamide 6 Contains 100% Recycled Content	EcoSolution Q100™   Polyamide 6 Contains 100% Recycled Content
Total thickness	6.4 mm	5.8 mm	9.9 mm
Effective pile thickness	2.1 mm	1.8 mm	2.2 mm
Total mass	4200 g/m²	2971 g/m²	3707 g/m²
Nominal total pile mass	600 g/m²	600 g/m²	600 g/m²
Effective pile mass	241 g/m²	225 g/m²	241 g/m²
Pile density	0.112 g/cm³	0.123 g/cm³	0.107 g/cm <sup>3</sup>
Embodied Carbon (EPD Calculation A1-A3)	3.46 kg CO₂ e/m²	4.25 kg CO <sub>2</sub> e/m <sup>2</sup>	4.69 kg CO <sub>2</sub> e/m <sup>2</sup>





















For detailed warranty information and the most accurate information on the recycle content please visit shawcontract.com

















0.20 aw 0.15 aw 0.30 aw


ComfortWorx® 37dB

London +44 (0) 20 7961 4120 | Dubai +971 4 584 6956 | Oosterhout +31 20 2620955

Specifications are subject to nominal manufacturing variances. Material supply and/or manufacturing processes may necessitate specification changes without notice. Visit shawcontract.com for more information. For detailed warranty information and the most accurate information on the recycle content please visit shawcontract.com

Shaw © 2024 Shaw Industries Group, Inc., a Berkshire Hathaway Company





4905 BL NETHERLANDS (NLD) Notified Body 2895

OOSTERHOUT SHOWROOM VAARTWEG 10,



UK.DOP/0338/CPR/1222/0323/EST

SHAW EUROPE LIMITED, BLACKADDIE ROAD SANQUHAR DG4 6DB, UNITED KINGDOM Approved Body 0338





For use as an indoor floor covering as specified by the manufacturer

# **Specifications**

Access fully-detailed product specification information in seconds by scanning the QR code of individual style.

	EcoWorx S®	ComfortWorx®
Style number:	5T647	C047W
Style name:	Understated	Understated
Collection:	Creative Connections	Creative Connections
Product type:	Carpet tile	Carpet tile

#### Construction Data + Performance

Construction	Data · I offormation	
Type of manufacture	Tufted 1/10"   39.4 per 10cm	Tufted 1/10"   39.4 per 10cm
Aspect	Multi-level pattern loop	Multi-level pattern loop
Dye method	100% solution dyed	100% solution dyed
Dimensions	50 x 50 cm   20 tiles (5 m²) per box	50 x 50 cm   12 tiles (3 m²) per box
Primary backing	PET non-woven	PET non-woven
Secondary backing	EcoWorx S® Tile   Polyolefin Plastomer	ComfortWorx® Tile   Matrix Pad layer. Contains 90% recycled content.
Pile fibre composition	EcoSolution Q100™   Polyamide 6 Contains 100% recycled content	EcoSolution Q100™   Polyamide 6 Contains 100% recycled content
Total thickness	7.0 mm	11.1 mm
Effective pile thickness	2.3 mm	2.8 mm
Total mass	2984 g/m²	4152 g/m²
Nominal total pile mass	764 g/m²	764 g/m²
Effective pile mass	291 g/m²	322 g/m²
Pile density	0.126 g/cm³	0.113 g/cm³
Embodied Carbon (EPD Calculation A1-A3)	4.36 kg CO <sub>2</sub> e/m <sup>2</sup>	4.79 kg CO₂ e/m²
Recommended installation method	Monolithic, Quarter-turn, Ashlar, Brick, Random	Monolithic, Quarter-turn, Ashlar, Brick, Random



















For detailed warranty information and the most accurate information on the recycle content please visit shawcontract.com

#### Recommended installation methods































EcoWorx S™ ComfortWorx®

0.15 aw 0.30 aw

London +44 (0) 20 7961 4120 | Dubai +971 4 584 6956 | Oosterhout +31 20 2620955

Specifications are subject to nominal manufacturing variances. Material supply and/or manufacturing processes may necessitate specification changes without notice. Visit shawcontract.com for more information. For detailed warranty information and the most accurate information on the recycle content please visit shawcontract.com

Shaw © 2024 Shaw Industries Group, Inc., a Berkshire Hathaway Company



# **Specifications**

Access fully-detailed product specification information in seconds by scanning the QR code of individual style.

	EcoWorx S®	ComfortWorx®
Style number:	5T658	C048W
Style name:	Interwoven	Interwoven
Collection:	Creative Connections	Creative Connections
Product type:	Carpet tile	Carpet tile

#### Construction Data + Performance

Type of manufacture	Tufted 1/10"   39.4 per 10cm	Tufted 1/10"   39.4 per 10cm
Aspect	Multi-level pattern loop	Multi-level pattern loop
Dye method	100% solution dyed	100% solution dyed
Dimensions	50 x 50 cm   20 tiles (5 m²) per box	50 x 50 cm   16 tiles (4 m²) per box
Primary backing	PET non-woven	PET non-woven
Secondary backing	EcoWorx S® Tile   Polyolefin Plastomer	ComfortWorx® Tile   Matrix Pad layer Contains 90% recycled content
Pile fibre composition	EcoSolution Q100™   Polyamide 6 Contains 100% recycled content	EcoSolution Q100™   Polyamide 6 Contains 100% recycled content
Total thickness	5.6 mm	10.0 mm
Effective pile thickness	2.3 mm	2.1 mm
Total mass	2470 g/m²	3888 g/m²
Nominal total pile mass	616 g/m²	616 g/m²
Effective pile mass	267 g/m²	246 g/m²
Pile density	0.116 g/cm³	0.118 g/cm³
Embodied Carbon (EPD Calculation A1-A3)	4.14 kg CO <sub>2</sub> e/m <sup>2</sup>	4.58 kg CO <sub>2</sub> e/m <sup>2</sup>
Recommended installation method	Monolithic, Quarter-turn, Ashlar, Brick, Random	Monolithic, Quarter-turn, Ashlar, Brick, Random



















For detailed warranty information and the most accurate information on the recycle content please visit shawcontract.com

#### Recommended installation methods





























0.20 aw

London +44 (0) 20 7961 4120 | Dubai +971 4 584 6956 | Oosterhout +31 20 2620955

Specifications are subject to nominal manufacturing variances. Material supply and/or manufacturing processes may necessitate specification changes without notice. Visit shawcontract.com for more information. For detailed warranty information and the most accurate information on the recycle content please visit shawcontract.com

Shaw © 2025 Shaw Industries Group, Inc., a Berkshire Hathaway Company





UK.DOP/0338/CPR/1222/0323/EST

SHAW EUROPE LIMITED, BLACKADDIE ROAD SANQUHAR DG4 6DB, UNITED KINGDOM Approved Body 0338



EN14041:2004/AC:2006 For use as an indoor floor covering as specified by the manufacturer



INTERLACED IN SLATE BLUE



# People Together, Planet Forever is our **promise**. Neutral is not enough is our **call to action**.

We are one planet. We cannot afford to be neutral. We must make changes and take action together. *Together*, we are **Design Optimists**.

#### **MATERIAL HEALTH**

**Together**, we design and manufacture products to optimise human environments.



#### Cradle to Cradle Certified®

Our products are verified as being safe, circular and responsibly made. Over 90% of products are Cradle to Cradle Certified®.



#### **Indoor Air Quality**

People spend 90% of their time indoors, making these environments critical to our wellbeing. These products are GREENGUARD Certified, meeting the California Department of Public Health (CDPH) indoor air quality standards for low-emitting products.



#### **Product Transparency**

Creative Connections collections have a Health Product Disclosure (HPD), which is a transparent disclosure of product content and associated health information.

#### **CARBON IMPACT**

**Together**, we are a positive force in the global effort to collectively fight climate change.



#### **Carbon Neutral Manufacturing**

Our manufacturing facility in Scotland runs entirely on electricity from renewable sources.



#### Low Embodied Carbon

EcoSolution Q100™ is a high-performance nylon fibre made from 100% recycled content. Flooring products like EcoWorx® and EcoWorx S®, made with EcoSolution Q100™ fibre, reduce carbon impact by 42% compared to traditional carpet tiles.

#### **CIRCULAR ECONOMY**

**Together**, we practice a closed-loop approach to sustainability.

#### re[TURN]

#### We Want it Back

At the end of its useful life, we will reclaim and recycle EcoWorx®, EcoWorx S® and EcoWorx™ Resilient styles to make more EcoWorx products. Since 2006, we have reclaimed and recycled nearly 500 million kilograms of post-consumer flooring, reducing landfill waste.

#### **DIVERSITY, EQUITY & INCLUSION**

**Together,** we nurture an environment where every voice and perspective can be heard, with equal value placed on seen and unseen experiences.



#### Supplier Diversity Programme

Community | Supply chain | People

- Signatory of UN Global Compact upholding and protecting human rights, labour, environment and anti-corruption standards
- World GBC Health & Wellbeing
  Framework supporter



## **ShawContract®**

London +44 (0) 20 7961 4120 | Dubai +971 4 584 6956 | Oosterhout +31 20 2620955 UK: infouk@shawcontract.com | Middle East/Africa: infomea@shawcontract.com | Netherlands: infonl@shawcontract.com

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bangalore +080 6773 0202 | Beijing +86 10 6568 5881 Chicago +1 312 467 1331 | Hong Kong +852 2623 0371 | Latin America (Miami) +1 305 827 5912 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 Mexico City +55 5010 7600 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | San Francisco +1 415 955 1920 | Santiago +562 2431 5000 x 550 São Paulo +55 11 3071 1702 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +61 2 8065 1901